

Reimplementing the FRIsheeping herding algorithm using fuzzy logic

Veljko Dudić, Noah Novšak, Petra Kuralt, and Timotej Košir

Collective behavior course research seminar report

January 8, 2024

Iztok Lebar Bajec | professor | mentor

This study explores the integration of fuzzy logic into herding algorithms to enhance adaptability and nuanced decision-making within simulated group dynamics. Initially, we build upon the Strömbom algorithm, implemented in a Unity environment, introducing fuzzy logic to refine the herd behavior. Afterward, our investigation extends to herding mechanism implementation using a fuzzy logic inference system grounded in the flocking behaviors of Boids. This fuzzy logic utilization aims to create a comprehensive and robust framework for simulating herding behavior in dynamic environments. Overall, the implemented models introduce more variability. However, while they work to some extent, there is still room for further refinement before any practical viability.

fuzzy logic | herding algorithm | genetic algorithm

Herding algorithms, at their core, strive to model the behavior of a shepherd (sheepdog) endeavoring to control extensive groups of unwilling individuals (sheep). Traditional approaches rely on predefined rules to govern the individual behavior of agents within a group, influencing their movements based on factors like proximity and alignment with neighbors [1]. While these methods capture the fundamental aspects of collective behavior, their deterministic nature might fall short in handling the inherent uncertainty and imprecision of real-world scenarios. In this context, our approach introduces another dimension to herding algorithms by incorporating fuzzy logic. This enables a more flexible and adaptive decision-making process by allowing degrees of truth between absolute true and false, thus helping the individuals in a group respond more effectively to altering environments.

As a starting point, we take the algorithm proposed by Strömbom et al. [2], which has already been implemented by our predecessors in a Unity environment. Strömbom's model employs a weighted sum of various forces to determine the sheep's movement. Utilizing the Strömbom's model as a foundation, we construct a fuzzy system to emulate the decision-making process, wherein each agent's behavior is determined by incorporating their unique characteristics and individual traits. Lastly, we investigate the feasibility of employing fuzzy logic as an autonomous herding algorithm, aligning with the principles inherent in the Boids flocking model.



Figure 1. An example of our setup in Unity environment

A herding algorithm that uses fuzzy logic

This study explores the integration of fuzzy logic into herding algorithms as an innovative approach to enhance adaptability and nuanced decision-making within simulated group dynamics. Initially, we build upon the Strömbom algorithm, implemented in a Unity environment, introducing fuzzy logic to refine the behavior of entities within the herd. Afterward, our investigation extends to implementing a fuzzy inference system grounded in the principles of Boids flocking behavior. This utilization of fuzzy logic and genetic algorithms aims to create a comprehensive and robust framework for simulating herding behavior in dynamic environments.

fuzzy logic | herding algorithm | genetic algorithm

Methodology

The testing environment consists of an enclosed pasture with a barn at its edge. The N sheep are randomly placed in the field with a sheepdog, aiming to collect and drive all the sheep into the barn within a limited time. Several different algorithms can be selected to govern the behavior of each agent in the simulation.

Strömbom model. Agents attempt to move away from the shepherd while staying close to their neighbors. Each agent decides on its next course of action based on the locations of itself, the shepherd \bar{S} , and each of its n nearest neighbors \bar{A}_i . The agents are

attracted to their neighbors' center of mass (LCM) and repelled from other agents within a boundary distance r_a . The shepherd repels them as well if it is closer than r_s .

The following components sum up all of these contributions:

1. Repulsion from the shepherd: If the agent is within a distance r_s of the shepherd, it is repelled in the opposite direction $R_i^s = A_i - S$.
2. Attraction towards the local center of mass: The vector representing attraction is denoted at $C_i = LCM - A_i$, where $LCM = \frac{1}{n} \sum A_i$ for the agent's n nearest neighbors.
3. Repulsion from Other Agents: If there are k other agents within r_a , the combined repulsion vector is defined as $R_i^a = \sum_{j=1}^k \frac{(A_i - A_j)}{|A_i - A_j|}$.
4. Inertia and Noise: In each timestep, the agents maintain their previous direction H_i , and some random noise ϵ is added to account for unpredictability.

Combining all these components, the movement vector in each iteration becomes

$$H'_i = hH_i + cC_i + a\hat{R}_i^a + s\hat{R}_i^s + e\epsilon.$$

An entirely separate set of rules governs the shepherd's behavior. It dynamically switches between *collecting* and *driving*, based on the maximum distance of agents from the center of mass (either global GCM or local LCM). If all agents are within $r_a N^{\frac{2}{3}}$, it attempts to position itself behind the flock to push it towards the goal. Alternatively, if any agent is farther than $r_a N^{\frac{2}{3}}$, the shepherd instead selects the most distant agent and herds it back towards the flock. The shepherd's trajectory is thus always directly toward the desired collecting or driving position. Additionally, some noise is added to the shepherd's movement as well.

Fuzzy logic. We defined the existing sheepherding model in the previous section. Now, we will describe its *fuzzy* counterpart. The first implementation is based on [3] and builds on top of the Strömbom algorithm. We derive new parameters for Strömbom from the personality of each agent and assign the Strömbom's parameters from defined fuzzy rules. The second implementation strays away from the Strömbom algorithm and uses an entirely new fuzzy inference system, where each sheep is using the position, speed, and direction of sheep in a local environment to return a new heading and speed. These values are then directly used for the movement of the given sheep.

Fuzzification of the Strömbom model using the OCEAN personality framework. To fuzzify our initially proposed Strömbom model, we use the OCEAN personality framework, generally used to describe people, to individualize the agents [3]. The Five-Factor personality model categorizes personalities into five contributing factors:

1. **Openness (O)** reflects the degree of curiosity and creativity, indicating preferences for novelty and variety.
2. **Conscientiousness (C)** describes the level of organization and care exhibited in collective activities
3. **Extraversion (E)** related to the degree of energy, sociability, and outgoingness.
4. **Agreeableness (A)** represents a tendency to exhibit compassion and cooperation rather than suspicion and antagonism towards others.
5. **Neuroticism (N)** indicates the tendency to experience unpleasant emotions easily, such as anger, anxiety, depression, or vulnerability, and is the opposite of emotional stability.

With this, we derive new parameters for Strömbom from the personality of each agent and assign the parameters from defined fuzzy rules, such as:

if (Extraversion is POS) and (Agreeableness is POS), then k neighbors HIGH
if (Adventurousness is POS) then added noise is HIGH

Each sheep's personality is based on the OCEAN model but excludes the conscientiousness and neuroticism aspects. The inputs of the fuzzy inference system are the personality of a sheep and the previous Strömbom parameters and the outputs are the new Strömbom parameters. To prevent our model from returning the same centroids due to the same values of the inputs, we model them by average neighbor sheep distance and average dog distance. Based on the closeness of the dog or sheep, we will slightly change personality by 10% and previous parameters by up to 50%. With

that, we achieve much more distinct outputs. The percentage for personalities is much smaller since we want sheep to keep their personality as close to the original as possible. The parameters, on the other hand, scale the extent to which the personality in the rule will modify the output and keep it consistent with the previous actions the sheep has taken.

Fuzzy herding algorithm based on Boids approach. For the second approach, we take the model proposed by "Boids with a fuzzy way of thinking" [4]. They find the most important aspect of flocking behavior is the alignment function. Then, we will add a component to model the shepherd guiding the flock. The described model uses three linguistic variables: the relative heading difference H coded by the values *LEFT*, *RIGHT*, and *SAME* 2, the relative speed difference S coded by *SLOWER*, *FASTER*, and *SAME* 3, and the significance SIG of each neighboring agent, coded by *HIGH* and *LOW* 4. Using these linguistic variables, the alignment steering function is represented by the following rules:

```

if (SIG is LOW) or (H is SAME) then H' is SAME,
if (SIG is HIGH) and (H is LEFT) then H' is LEFT,
if (SIG is HIGH) and (H is RIGHT) then H' is RIGHT,
if (SIG is LOW) or (S is SAME) then S' is SAME,
if (SIG is HIGH) and (S is SLOWER) then S' is SLOWER,
if (SIG is HIGH) and (S is FASTER) then S' is FASTER,

```

Our proposal for adding a shepherd is to model it with more or less the same alignment rules but using different weights and membership functions.




Figure 2. Heading membership




Figure 3. Speed membership




Figure 4. Significance membership

The first step in implementing this model is to fuzzify the inputs, i.e., taking the agents' positions and current headings to determine the degree to which they belong to each of the appropriate fuzzy sets via the aforementioned membership functions. The next step is to combine the fuzzy inputs according to the proposed rules into a single number, the antecedent. Then, create a new fuzzy set, the consequent, and reshape it using the antecedent. Then, finally, all of the rule outputs are aggregated into a single fuzzy set and defuzzified into a single numeric output.

Results

We have extended the FRIsheeping Unity project to include the proposed Fuzzy Logic models, moving away from planned pathing algorithms to mimic the erratic behavior of the sheep herd. The improvement allows for more dynamic and unpredictable collective movements, as each sheep now exhibits individualized responses influenced by unique personality traits. The comparison can be seen in Fig. 6. In the first image, the sheep are modeled using Strömbom algorithm and, therefore, strive to create a herd using the local center of mass. In our extension of the algorithm, each sheep has a unique personality and should show more individualism. We can notice that more adventurous sheep will sometimes stray further away than non-adventurous ones. The difference is especially noticeable in the last part of the run, where sheep are close together. In that way, small movements will affect the sheep input variability more and give more distinct results. In the middle of the last part of the run, we can see that sheep are closer together. This is due to some of them having lower adventurousness but higher agreeableness and extraversion.

Implementing the standalone fuzzy logic model yields completely different sheep behavior. Since they are not directly attracted to the local center of mass but rather turn in the general direction of their significant neighbors, they will follow a similar trajectory but be more spread out. This is the most noticeable in the last part of the path in Fig. 7. But not having an attraction to a single center of mass, we are faced with the problem of the model looping on itself. Since some sheep run from the shepherd next to the fence, they sometimes attract other sheep into walking with them and get stuck, resulting in a huge group of stuck sheep. In that case, we need to recenter sheep to get them unstuck. Otherwise, the model works above expectations but is still not complex enough to reliably guide the sheep into the barn.




Figure 5. A run of existing Strömbom algorithm.




Figure 6. A run of Strömbom algorithm with fuzzy logic.




Figure 7. A run of a fuzzy herding algorithm

Discussion

The two proposed fuzzy logic inference models give us insight into different fuzzy logic applications for simulating herding dynamics. The first approach, stemming from [4], embraces simplicity by directly incorporating fuzzy logic into the movement of each sheep. The personalized nature of sheep behavior, dictated by a personality, allows for a decentralized decision-making process. In contrast, the second implementation, inspired by [3] and building upon the Strömbom algorithm, introduces a layer of complexity by deriving new parameters based on individual personality traits. In both approaches, a fuzzy inference system determines the relationships between personality traits and decision preferences. The pathing algorithm would need additional logic to help the shepherd guide the sheep out of loops. This could be done by refining the sheep repulsion from the fence or introducing additional rules. The algorithm could be further refined to include a better border and neighboring sheep detector. Currently, the detection was only accounted for by angle of vision, but not by occlusion of sheep behind trees or other sheep.

CONTRIBUTIONS. TK implemented the fuzzy logic and helped with the shepherding algorithm, NN wrote the fuzzy logic shepherd algorithm and helped with the code, PK made the slides, worked on the report and helped with debugging, VD helped with the Strömbom and OCEAN chapter of the report.

Bibliography

1. Lien JM, Bayazit O, Sowell R, Rodriguez S, Amato N (2004) Shepherding behaviors in *IEEE International Conference on Robotics and Automation, 2004. Proceedings. ICRA '04. 2004.* Vol. 4, pp. 4159–4164 Vol.4.
2. Strömbom D et al. (2014) Solving the shepherding problem: Heuristics for herding autonomous, interacting agents. *Journal of The Royal Society Interface* 11.
3. Xue Z et al. (2017) Fuzzy logic-based model that incorporates personality traits for heterogeneous pedestrians. *Symmetry* 9(10).
4. Bajec IL, Mraz M, Zimic N (2003) Boids with a fuzzy way of thinking in *Proceedings of ASC.* Vol. 58, p. 62.